











TERMINALES


Pág. 249 - 258



TERMINALES


Conector a tope aislado (PVC)

Código	Color	Calibre AWG	Dimensiones (mm)			Piezas
			A	B	ØD	
AE05590		22 - 16	27	15	6.6	100
AE20562		16 - 14	26.5	15	4.8	100
AE20570		12 - 10	25.8	15	4.3	100



Capuchón

Código	Color	Calibre AWG	Descripción	Dimensiones (mm)			Piezas
				A	B	ØD	
AE00010		18	Roscables (PVC)	14.2	5.3	8.4	100
AE00015		14	Roscables (PVC)	17.8	5.3	10.1	100
AE00020		12	Roscables (PVC)	22	7.9	11.2	100
AE00025		10	Roscables (PVC)	24.2	6.8	14.8	100
AE00030		14	Ponchables	24.5	—	10.6	100
AE00035		10	Ponchables	26.5	—	12.4	100
AEJO-2		12 - 8	Roscables con ceja	25.6	8.5	13.9	100
AEJO-3		18 - 14	Roscables con ceja	26.8	10.5	14.9	100
AEJO-4		22 - 18	Roscables con ceja	26.9	11.5	15.5	100



Coples de acero galvanizado para tubo EMT

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9570450	1/2	13	Acero	50
9570500	3/4	19	Acero	50
9570550	1	25	Acero	20
9570600	1 1/4	32	Acero	25
9570650	1 1/2	38	Acero	25
9570700	2	51	Acero	5



Conectores de compresión de acero para tubo EMT

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9570800	1/2	13	Acero	25
9570805	3/4	19	Acero	25
9570810	1	25	Acero	10
9570815	1 1/4	32	Acero	25
9570820	1 1/2	38	Acero	20
9570825	2	51	Acero	15



Coples de compresión de acero para tubo EMT

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9570830	1/2	13	Acero	25
9570835	3/4	19	Acero	25
9570840	1	25	Acero	10
9570845	1 1/4	32	Acero	25
9570850	1 1/2	38	Acero	20
9570855	2	51	Acero	15



Coples para tubo rígido

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9580500	1/2	13	Acero	1
9580550	3/4	19	Acero	1
9580600	1	25	Acero	1
9580650	1 1/4	32	Acero	1
9580700	1 1/2	38	Acero	1
9580750	2	51	Acero	1
9580800	2 1/2	63	Acero	1
9580850	3	76	Acero	1
9580900	4	102	Acero	1



Coples para tubo CED-40

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9580505	1/2	13	Acero	1
9580555	3/4	19	Acero	1
9580605	1	25	Acero	1
9580655	1 1/4	32	Acero	1
9580705	1 1/2	38	Acero	1
9580755	2	51	Acero	1
9580805	2 1/2	63	Acero	1
9580855	3	76	Acero	1
9580905	4	102	Acero	1



Reducciones de aluminio

Código	Medidas	Medidas	Piezas
	(pulg)	(mm)	
RED21	3/4 a 1/2	19 a 13	100
RED31	1 a 1/2	25 a 13	100
RED32	1 a 3/4	25 a 19	100
RED41	1 1/4 a 1/2	32 a 13	100
RED42	1 1/4 a 3/4	32 a 19	100
RED43	1 1/4 a 1	32 a 25	100
RED51	1 1/2 a 1/2	38 a 13	100
RED52	1 1/2 a 3/4	38 a 19	100
RED53	1 1/2 a 1	38 a 25	100
RED54	1 1/2 a 1 1/4	38 a 32	100
RED61	2 a 1/2	51 a 13	100
RED62	2 a 3/4	51 a 19	100
RED63	2 a 1	51 a 25	100
RED64	2 a 1 1/4	51 a 32	100
RED65	2 a 1 1/2	51 a 38	100
RED71	2 1/2 a 1/2	63 a 13	50
RED72	2 1/2 a 3/4	63 a 19	50
RED73	2 1/2 a 1	63 a 25	50
RED74	2 1/2 a 1 1/4	63 a 32	50
RED75	2 1/2 a 1 1/2	63 a 38	50
RED76	2 1/2 a 2	63 a 51	50
RED81	3 a 1/2	76 a 13	10
RED82	3 a 3/4	76 a 19	10
RED83	3 a 1	76 a 25	10
RED84	3 a 1 1/4	76 a 32	10
RED85	3 a 1 1/2	76 a 38	10
RED86	3 a 2	76 a 51	10
RED87	3 a 2 1/2	76 a 63	10
RED91	4 a 1/2	102 a 13	5
RED92	4 a 3/4	102 a 19	5
RED93	4 a 1	102 a 25	5
RED94	4 a 1 1/4	102 a 32	5
RED95	4 a 1 1/2	102 a 38	5
RED96	4 a 2	102 a 51	5
RED97	4 a 2 1/2	102 a 63	5
RED98	4 a 3	102 a 76	5
RED99	4 a 3 1/2	102 a 89	5



Conectores glándula de nylon negro

Código	Medidas (pulg)	Medidas (mm)	Piezas
9590700	3/8	10	100
9590710	1/2	13	100
9590720	3/4	19	100
9590730	1	25	50



Conectores glándula de aluminio hembra

Código	Medidas (pulg)	Medidas (mm)	Entrada de cable (pulg)	Piezas
9590410	1/2	13	1/8 a 1/4	100
9590420	1/2	13	1/4 a 3/8	100
9590430	1/2	13	3/8 a 1/2	100
9590440	1/2	13	1/2 a 5/8	50
9590450	1/2	13	5/8 a 3/4	50
9590460	1/2	13	3/4 a 7/8	50
9590510	3/4	19	1/8 a 1/4	100
9590520	3/4	19	1/4 a 3/8	100
9599530	3/4	19	3/8 a 1/2	100
9590540	3/4	19	1/2 a 5/8	50
9590550	3/4	19	5/8 a 3/4	50
9590560	3/4	19	3/4 a 7/8	50
9590610	1	25	1/8 a 1/4	100
9590620	1	25	1/4 a 3/8	100
9590630	1	25	3/8 a 1/2	100
9590640	1	25	1/2 a 5/8	50
9590650	1	25	5/8 a 3/4	50
9590660	1	25	3/4 a 7/8	50



Conectores glándula de aluminio macho

Código	Medidas (pulg)	Medidas (mm)	Entrada de cable (pulg)	Piezas
9590010	1/2	13	1/8 a 1/4	100
9590020	1/2	13	1/4 a 3/8	100
9590030	1/2	13	3/8 a 1/2	100
9590040	1/2	13	1/2 a 5/8	50
9590050	1/2	13	5/8 a 3/4	50
9590060	1/2	13	3/4 a 7/8	50
9590110	3/4	19	1/8 a 1/4	100
9590120	3/4	19	1/4 a 3/8	100
9590130	3/4	19	3/8 a 1/2	100
9590140	3/4	19	1/2 a 5/8	50
9590150	3/4	19	5/8 a 3/4	50
9590160	3/4	19	3/4 a 7/8	50
9590210	1	25	1/8 a 1/4	100
9590220	1	25	1/4 a 3/8	100
9590230	1	25	3/8 a 1/2	100
9590240	1	25	1/2 a 5/8	50
9590250	1	25	5/8 a 3/4	50
9590260	1	25	3/4 a 7/8	50
9590310	1 1/4	32	3/8 a 1/2	10
9590320	1 1/2	38	3/8 a 1/2	10
9590330	2	51	1 15/16 a 2 9/32	10
9590340	2 1/2	63	1 15/16 a 2 9/32	5
9590350	3	76	2 9/32 a 2 5/8	5
9590360	4	102	2 9/32 a 2 5/8	5



Conectores rectos para cable de uso rudo

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9540050	3/8	9	ZAMAC	100
9540100	1/2	13	ZAMAC	100
9540150	3/4	19	ZAMAC	50
9540200	1	25	ZAMAC	25



Codos para tubo EMT

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9500500	1/2	13	Acero	1
9500550	3/4	19	Acero	1
9500600	1	25	Acero	1
9500650	1 1/4	32	Acero	1
9500700	1 1/2	38	Acero	1
9500750	2	51	Acero	1



Codos para tubo rígido

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9500050	1/2	13	Acero	1
9500100	3/4	19	Acero	1
9500150	1	25	Acero	1
9500200	1 1/4	32	Acero	1
9500250	1 1/2	38	Acero	1
9500300	2	51	Acero	1
9500350	2 1/2	63	Acero	1
9500400	3	76	Acero	1
9500450	4	102	Acero	1



Monitores

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9510050	1/2	13	ZAMAC	200
9510100	3/4	19	ZAMAC	100
9510150	1	25	ZAMAC	100
9510200	1 1/4	32	ZAMAC	80
9510250	1 1/2	38	ZAMAC	50
9510300	2	51	ZAMAC	50
9510350	2 1/2	63	ZAMAC	25
9510400	3	76	ZAMAC	20
9510450	4	102	ZAMAC	10



Contratuercas

Código	Medidas (pulg)	Medidas (mm)	Material	Piezas
9510500	1/2	13	ZAMAC	100
9510550	3/4	19	ZAMAC	100
9510600	1	25	ZAMAC	100
9510650	1 1/4	32	ZAMAC	100
9510700	1 1/2	38	ZAMAC	80
9510750	2	51	ZAMAC	50
9510800	2 1/2	63	ZAMAC	25
9510850	3	76	ZAMAC	20
9510900	4	102	ZAMAC	10



Cajas metálicas tipo pesada

Código	Medidas (pulg)	Knock out (pulg)	Calibre	Material	Piezas
9840100	2 x 4	1/2, 3/4	19	Acero	50
9840110	2 x 5	1/2, 3/4	19	Acero	50
9840120	4 x 4	1/2, 3/4	19	Acero	50
9840130	Octagonal	1/2, 3/4	19	Acero	50
9840140	4 11/16	1/2, 3/4, 1	19	Acero	50
9840150	6 x 6	1 1/4, 1 1/2	19	Acero	18
9840160	8 x 8	2	19	Acero	12




Cajas metálicas reforzadas

Código	Medidas (pulg)	Knock out (pulg)	Calibre	Material	Piezas
9840105	2 x 5	1/2	14	Acero	50
9840125	4 x 4	1/2, 3/4	14	Acero	50
9840135	Octagonal	1/2, 3/4	14	Acero	50
9840145	4 11/16	1/2, 3/4, 1	14	Acero	50



Marcos de reducción

Código	Medidas (pulg)	Calibre	Material	Piezas
9840200	4 x 4 a 4 x 2	19	Acero	25
9840210	4 11/16 a 4 x 2	19	Acero	50




Tapas metálicas

Código	Medidas (pulg)	Knock out (pulg)	Calibre	Material	Piezas
9840255	4 x 4	1/2	19	Acero	50
9840250	Octagonal	1/2	19	Acero	50
9840260	6 x 6	ciega	19	Acero	50
9840265	8 x 8	ciega	19	Acero	50



Barras roscadas

Código	Medidas (pulg)	Medidas (mm)	Longitud (m)	Material	Piezas
9870050	1/4	6	1	Acero	1
9870100	5/16	8	1	Acero	1
9870150	3/8	10	1	Acero	1
9870200	1/2	13	1	Acero	1
9870250	1/4	6	3	Acero	1
9870300	5/16	8	3	Acero	1
9870350	3/8	10	3	Acero	1
9870400	1/2	13	3	Acero	1



Perfiles unicanal / tramo de 3 metros

Código	Tipo	Medidas	Calibre	Material	Piezas
9850055	Sólido	4 x 2	18	Acero	1
9850155	Perforado	4 x 2	18	Acero	1
9850105	Sólido	4 x 4	18	Acero	1
9850205	Perforado	4 x 4	18	Acero	1
9850050	Sólido	4 x 2	16	Acero	1
9850150	Perforado	4 x 2	16	Acero	1
9850100	Sólido	4 x 4	16	Acero	1
9850200	Perforado	4 x 4	16	Acero	1
9850010	Sólido	4 x 2	14	Acero	1
9850015	Perforado	4 x 2	14	Acero	1
9850020	Sólido	4 x 4	14	Acero	1
9850025	Perforado	4 x 4	14	Acero	1



Mordaza troquelada

Código	Agarre		Para barra		Material	Piezas
	(pulg)	(mm)	(pulg)	(mm)		
9870805	3/4	19	1/4	6	Acero	50
9870815	3/4	19	3/8	9	Acero	50
9870825	1 1/4	32	3/8	9	Acero	50



Coples para barra roscada

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870540	1/4	6	Acero	200
9870545	5/16	8	Acero	200
9870550	3/8	10	Acero	100
9870555	1/2	13	Acero	50




Tuercas

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870500	1/4	6	Acero	100
9870505	5/16	8	Acero	100
9870510	3/8	10	Acero	100
9870515	1/2	13	Acero	100



Tuercas unicanal

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870560	1/4	6	Acero	100
9870565	5/16	8	Acero	100
9870570	3/8	10	Acero	100
9870575	1/2	13	Acero	100



Rondanas

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870520	1/4	6	Acero	100
9870525	5/16	8	Acero	100
9870530	3/8	10	Acero	100
9870535	1/2	13	Acero	100



Rondanas de presión

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870580	1/4	6	Acero	100
9870585	5/16	8	Acero	100
9870590	3/8	10	Acero	100
9870595	1/2	13	Acero	100




Expansores

Código	Medidas	Para tornillo		Largo total		Material	Piezas
	(pulg)	(pulg)	(mm)	(pulg)	(mm)		
9870900	3/16	3/16	5	1 1/2	38	ZAMAC	100
9870905	1/4	1/4	6.4	1 3/4	44	ZAMAC	100
9870910	5/16	5/16	8	2	51	ZAMAC	50
9870915	3/8	3/8	10	2	51	ZAMAC	50
9870920	1/2	1/2	13	2 1/2	64	ZAMAC	25



Tornillos hexagonales

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870902	3/16	5	Acero	100
9870907	1/4	6.4	Acero	100
9870912	5/16	8	Acero	50
9870917	3/8	10	Acero	100
9870922	1/2	13	Acero	25



Sujetador para pared hueca



Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9870600	3/16	5	Acero	200
9870605	1/4	6	Acero	50





Tubo metálico flexible tipo SLDX

Código	Medidas (pulg)	Diámetro interno (mm)		Diámetro externo (mm)		Cantidad (m)
		mín.	máx.	mín.	máx.	
9520000	3/8	12.6	12.9	15.5	15.8	50
9520050	1/2	17.2	17.6	20	20.4	50
9520100	1/2	17.2	17.6	20	20.4	350
9520150	3/4	21.3	21.8	25	25.5	50
9520200	3/4	21.3	21.8	25	25.5	250
9520250	1	27.8	28.3	31.5	32	50
9520300	1	27.8	28.3	31.5	32	150
9520350	1 1/4	34.3	34.8	39	39.5	30
9520400	1 1/2	39	39.5	44	44.5	30
9520450	2	50.2	50.7	56.4	57	30



Banda de acero galvanizado U304

Conectores rectos para tubo metálico flexible

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9530050	3/8	9	ZAMAC	50
9530100	1/2	13	ZAMAC	25
9530150	3/4	19	ZAMAC	25
9530200	1	25	ZAMAC	20
9530250	1 1/4	32	ZAMAC	25
9530300	1 1/2	38	ZAMAC	15
9530350	2	51	ZAMAC	10





Conectores curvos para tubo metálico flexible

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9530400	3/8	9	ZAMAC	50
9530450	1/2	13	ZAMAC	25
9530500	3/4	19	ZAMAC	10
9530550	1	25	ZAMAC	10



Tubo flexible liquidtight SLFS

Código	Medidas (pulg)	Diámetro interno (mm)		Diámetro externo (mm)		Cantidad (m)
		mín.	máx.	mín.	máx.	
9550050	1/2	15.7	16.1	19	19.4	50
9550150	1/2	15.7	16.1	19	19.4	350
9550200	3/4	20.6	21	24.2	24.6	50
9550310	3/4	20.6	21	24.2	24.6	250
9550350	1	26.4	26.8	30	30.4	50
9550450	1	26.4	26.8	30	30.4	150
9550500	1 1/4	34.3	34.8	39	39.5	30
9550650	1 1/2	39	39.5	44	44.5	30
9550800	2	50.2	50.7	56.4	57	30



Conectores rectos para tubo liquidtight

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9560050	1/2	13	Aluminio	50
9560100	3/4	19	Aluminio	50
9560150	1	25	Aluminio	25
9560200	1 1/4	32	ZAMAC	25
9560250	1 1/2	38	ZAMAC	25
9560300	2	51	ZAMAC	25
9560350	2 1/2	63	ZAMAC	1
9560400	3	76	ZAMAC	1
9560450	4	102	ZAMAC	1



Conectores curvos para tubo liquidtight

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9560500	1/2	13	Aluminio	50
9560550	3/4	19	Aluminio	50
9560600	1	25	Aluminio	25
9560650	1 1/4	32	ZAMAC	25
9560700	1 1/2	38	ZAMAC	25
9560750	2	51	ZAMAC	25
9560800	2 1/2	63	ZAMAC	1
9560850	3	76	ZAMAC	1
9560900	4	102	ZAMAC	1





Tubo flexible no metálico

Código	Medidas (pulg)	Diámetro interno (mm)		Diámetro externo (mm)		Cantidad (m)
		mín.	máx.	mín.	máx.	
9520700	1/2	15.5	16.5	20.5	21.5	30
9520710	3/4	20.5	21.5	26.2	27.2	30
9520720	1	26.5	27.5	33.5	34.5	30
9520730	1 1/4	35.5	36.5	42.1	43.1	30
9520740	1 1/2	40.5	41.5	48	49	30
9520750	2	50.5	51.5	60.5	61.5	30

· Cuenta con certificación UL



Conectores rectos para tubo flexible no metálico

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9530700	1/2	13	PVC	50
9530705	3/4	19	PVC	50
9530710	1	25	PVC	25
9530715	1 1/4	32	PVC	25
9530720	1 1/2	38	PVC	25
9530725	2	51	PVC	25

· Cuenta con certificación UL



Conectores curvos para tubo flexible no metálico

Código	Medidas	Medidas	Material	Piezas
	(pulg)	(mm)		
9530800	1/2	13	PVC	50
9530805	3/4	19	PVC	50
9530810	1	25	PVC	25
9530815	1 1/4	32	PVC	25
9530820	1 1/2	38	PVC	25
9530825	2	51	PVC	25

· Cuenta con certificación UL

